

Hip Evaluation Report

Report Date: 12/30/2013

Reference #: **910723**
Practice #:

Radiography Date: 12/17/2013
Date Received: 12/23/2013

Owner:
ERIC GRAMLICH
7158 STATE RD. U U
FULTON, MO 65251
UNITED STATES


PennHIP Member:
DR. JENNIFER SHOCKLEY
HIGGINSVILLE ANIMAL CLINIC
2400 HWY BLVD
HIGGINSVILLE, MO 64037
UNITED STATES

| ANIMAL | |
|--|----------------------------|
| OAK VIEW SABLE (SABLE) | Reg. #: OAEW 2013001962002 |
| CANINE / SOUTH AFRICAN BOERBOEL MASTIFF | Microchip: OA02101251 |
| Date of Birth: 1/30/2013 Sex: F Weight: 91 lbs. Age: 11 mo. | Tattoo: |

| RESULTS | | | |
|--------------|----------------------------------|-----------------------|--|
| LEFT | Distraction Index (DI) | 0.42 | DI is greater than 0.30 with no radiographic evidence of DJD. There is an increasing risk of developing DJD as the DI increases; low risk when DI is close to 0.30, high risk when DI is close to 0.70 or above. |
| | Degenerative Joint Disease (DJD) | None | |
| | Cavitation | No | |
| | Other Findings | Not Applicable | |
| RIGHT | Distraction Index (DI) | 0.53 | DI is greater than 0.30 with no radiographic evidence of DJD. There is an increasing risk of developing DJD as the DI increases; low risk when DI is close to 0.30, high risk when DI is close to 0.70 or above. |
| | Degenerative Joint Disease (DJD) | None | |
| | Cavitation | No | |
| | Other Findings | Not Applicable | |

Please note that the PennHIP DI is a measure of hip joint laxity, it does not allude to a "passing" or "failing" hip score.

| LAXITY PROFILE RANKING |
|---|
| The laxity profile ranking is based on the hip with the greater laxity (DI). This interpretation is based on a cross-section of 1,193 CANINE animals of the SOUTH AFRICAN BOERBOEL MASTIFF breed. The median DI for this group is 0.52. |



The chart above indicates the ranking of your animal's passive hip laxity (DI) in relation to all CANINE animals of the SOUTH AFRICAN BOERBOEL MASTIFF breed in our database. Your animal's hip laxity lies within the 50th percentile or median range. Breed-specific evaluations are analyzed semi-annually. Consequently, the average laxity and range of laxity for any given group will change over time.

PennHIP does not make specific breeding recommendations. Selection of sire and dam for mating is the decision of the breeder.

NOTE: As a minimum breeding criterion, we propose that breeding stock be selected from the population of animals having hip laxity in the tighter half of the breed (to the left of the median mark on the graph). Higher selection pressure equates to more rapid expected genetic change per generation.

By implementing selection based on passive hip laxity, we expect the breed average DI over the years to move toward tighter hip configuration, meaning lower hip dysplasia susceptibility. The PennHIP database permits scientific adjustment of criteria to reflect these shifts; the average laxity and range of laxity for a particular breed will change over time.